

### Selected MDPH Student Publications:

Adduci,A.J. and Schlegel,R. (1999). The transmembrane domain of the E5 oncoprotein contains functionally discrete helical faces. *J Biol Chem* 274, 10249-10258.

Al Hallaq,R.A., Jarabek,B.R., Fu,Z., Vicini,S., Wolfe,B.B., and Yasuda,R.P. (2002). Association of NR3A with the N-methyl-D-aspartate receptor NR1 and NR2 subunits. *Mol. Pharmacol.* 62, 1119-1127.

Allen,J.W., Eldadah,B.A., and Faden,A.I. (1999). Beta-amyloid-induced apoptosis of cerebellar granule cells and cortical neurons: exacerbation by selective inhibition of group I metabotropic glutamate receptors. *Neuropharmacology* 38, 1243-1252.

Allen,J.W., Knoblach,S.M., and Faden,A.I. (1999). Combined mechanical trauma and metabolic impairment in vitro induces NMDA receptor-dependent neuronal cell death and caspase-3-dependent apoptosis. *FASEB J* 13, 1875-1882.

Allen,J.W., Ivanova,S.A., Fan,L., Espey,M.G., Basile,A.S., and Faden,A.I. (1999). Group II metabotropic glutamate receptor activation attenuates traumatic neuronal injury and improves neurological recovery after traumatic brain injury. *J Pharmacol. Exp. Ther.* 290, 112-120.

Corn,P.G., Anders,J., Takala,A.K., Kayhty,H., and Hoiseth,S.K. (1993). Genes involved in Haemophilus influenzae type b capsule expression are frequently amplified. *J Infect. Dis* 167, 356-364.

Corn,P.G., Kuerbitz,S.J., van Noesel,M.M., Esteller,M., Compitello,N., Baylin,S.B., and Herman,J.G. (1999). Transcriptional silencing of the p73 gene in acute lymphoblastic leukemia and Burkitt's lymphoma is associated with 5' CpG island methylation. *Cancer Res* 59, 3352-3356.

Corn,P.G. and El Deiry,W.S. (2002). Derangement of growth and differentiation control in oncogenesis. *Bioessays* 24, 83-90.

Corn,P.G., McDonald,E.R., III, Herman,J.G., and El Deiry,W.S. (2003). Tat-binding protein-1, a component of the 26S proteasome, contributes to the E3 ubiquitin ligase function of the von Hippel-Lindau protein. *Nat. Genet* 35, 229-237.

Czubayko,F., Liaudet-Coopman,E.D., Aigner,A., Tuveson,A.T., Berchem,G.J., and Wellstein,A. (1997). A secreted FGF-binding protein can serve as the angiogenic switch in human cancer. *Nat. Med* 3, 1137-1140.

Desai,N.N., Carlson,R.O., Mattie,M.E., Olivera,A., Buckley,N.E., Seki,T., Brooker,G., and Spiegel,S. (1993). Signaling pathways for sphingosylphosphorylcholine-mediated mitogenesis in Swiss 3T3 fibroblasts. *J Cell Biol* 121, 1385-1395.

Domkowski,P.W., Messier,R.H., Jr., Cockerham,J.T., Kot,P.A., Diodato,L.H., and Hopkins,R.A. (2001). Relationship of hydraulic impedance and elasticity in the pulmonary artery of maturing newborn pigs. *J Surg Res* 100, 116-126.

Dybdal,D. and Gale,K. (2000). Postural and anticonvulsant effects of inhibition of the rat subthalamic nucleus. *J Neurosci.* 20, 6728-6733.

Easwaran,V., Pishvaian,M., Salimuddin, and Byers,S. (1999). Cross-regulation of beta-catenin-LEF/TCF and retinoid signaling pathways. *Curr. Biol* 9, 1415-1418.

Eldadah,B.A., Ren,R.F., and Faden,A.I. (2000). Ribozyme-mediated inhibition of caspase-3 protects cerebellar granule cells from apoptosis induced by serum-potassium deprivation. *J Neurosci.* 20, 179-186.

- Feltes,C.M., Kudo,A., Blaschuk,O., and Byers,S.W. (2002). An alternatively spliced cadherin-11 enhances human breast cancer cell invasion. *Cancer Res* 62, 6688-6697.
- Frye,R.E. and Doty,R.L. (1990). A comparison of response characteristics of airflow and pressure transducers commonly used in rhinomanometry. *IEEE Trans. Biomed. Eng* 37, 937-944.
- Frye,R.E., Schwartz,B.S., and Doty,R.L. (1990). Dose-related effects of cigarette smoking on olfactory function. *JAMA* 263, 1233-1236.
- Fryer,R.H., Kaplan,D.R., and Kromer,L.F. (1997). Truncated trkB receptors on nonneuronal cells inhibit BDNF-induced neurite outgrowth in vitro. *Exp. Neurol.* 148, 616-627.
- Fukumura,D., Yuan,F., Monsky,W.L., Chen,Y., and Jain,R.K. (1997). Effect of host microenvironment on the microcirculation of human colon adenocarcinoma. *Am J Pathol.* 151, 679-688.
- Harris,B.T., Charlton,M.E., Costa,E., and Grayson,D.R. (1994). Quantitative changes in alpha 1 and alpha 5 gamma-aminobutyric acid type A receptor subunit mRNAs and proteins after a single treatment of cerebellar granule neurons with N-methyl-D-aspartate. *Mol. Pharmacol.* 45, 637-648.
- Hastings,A.E., Hurley,C.K., Robinson,E.D., Salerno,K., Hernandez,E., and Richert,J.R. (1996). Molecular interactions between transfected human TCR, immunodominant myelin basic protein peptide 152-165, and HLA-DR13. *J Immunol.* 157, 3460-3471.
- Hedvat,C.V. and Irving,S.G. (1995). The isolation and characterization of MINOR, a novel mitogen-inducible nuclear orphan receptor. *Mol. Endocrinol.* 9, 1692-1700.
- Hernandez,E.M., Johnson,A., Notario,V., Chen,A., and Richert,J.R. (2002). AUA as a translation initiation site in vitro for the human transcription factor Sp3. *J Biochem. Mol. Biol* 35, 273-282.
- Hobbs,S.K., Monsky,W.L., Yuan,F., Roberts,W.G., Griffith,L., Torchilin,V.P., and Jain,R.K. (1998). Regulation of transport pathways in tumor vessels: role of tumor type and microenvironment. *Proc. Natl Acad. Sci U. S. A* 95, 4607-4612.
- Jolly,P.S., Rosenfeldt,H.M., Milstien,S., and Spiegel,S. (2002). The roles of sphingosine-1-phosphate in asthma. *Mol. Immunol.* 38, 1239-1245.
- Kimura,K., Markowski,M., Bowen,C., and Gelmann,E.P. (2001). Androgen blocks apoptosis of hormone-dependent prostate cancer cells. *Cancer Res* 61, 5611-5618.
- Krukltis,R., Welty,D.J., and Nakai,H. (1996). ClpX protein of Escherichia coli activates bacteriophage Mu transposase in the strand transfer complex for initiation of Mu DNA synthesis. *EMBO J* 15, 935-944.
- Livsey,C.T. and Vicini,S. (1992). Slower spontaneous excitatory postsynaptic currents in spiny versus aspiny hilar neurons. *Neuron* 8, 745-755.
- Mashour,G.A. (1998). A pawn in a conspiracy? *Nature* 392, 221.
- Mashour,G.A., Ratner,N., Khan,G.A., Wang,H.L., Martuza,R.L., and Kurtz,A. (2001). The angiogenic factor midkine is aberrantly expressed in NF1-deficient Schwann cells and is a mitogen for neurofibroma-derived cells. *Oncogene* 20, 97-105.
- Mattie,M., Brooker,G., and Spiegel,S. (1994). Sphingosine-1-phosphate, a putative second messenger, mobilizes calcium from internal stores via an inositol trisphosphate-independent pathway. *J Biol Chem* 269, 3181-3188.

Messineo, C., Jamerson, M.H., Hunter, E., Brazier, R., Bagg, A., Irving, S.G., and Cossman, J. (1998). Gene expression by single Reed-Sternberg cells: pathways of apoptosis and activation. *Blood* 91, 2443-2451.

Monsky, W.L. and Chen, W.T. (1993). Proteases of cell adhesion proteins in cancer. *Semin. Cancer Biol* 4, 251-258.

Monsky, W.L., Fukumura, D., Gohongi, T., Ancukiewicz, M., Weich, H.A., Torchilin, V.P., Yuan, F., and Jain, R.K. (1999). Augmentation of transvascular transport of macromolecules and nanoparticles in tumors using vascular endothelial growth factor. *Cancer Res* 59, 4129-4135.

Moulding, H.D., Martuza, R.L., and Rabkin, S.D. (2000). Clinical mutations in the L1 neural cell adhesion molecule affect cell-surface expression. *J Neurosci.* 20, 5696-5702.

Mulroney, S.E., McDonnell, K.J., Pert, C.B., Ruff, M.R., Resch, Z., Samson, W.K., and Lumpkin, M.D. (1998). HIV gp120 inhibits the somatotrophic axis: a possible GH-releasing hormone receptor mechanism for the pathogenesis of AIDS wasting. *Proc. Natl Acad. Sci U. S. A* 95, 1927-1932.

New, K.C., Martuza, R.L., and Rabkin, S.D. (1994). Defective herpes simplex virus vectors for the study of promoter and gene function in the CNS. *Gene Ther.* 1 *Suppl* 1, S79.

New, K.C. and Rabkin, S.D. (1998). GABA synthesis in astrocytes after infection with defective herpes simplex virus vectors expressing glutamic acid decarboxylase 65 or 67. *J Neurochem.* 71, 2304-2312.

Orford, K., Crockett, C., Jensen, J.P., Weissman, A.M., and Byers, S.W. (1997). Serine phosphorylation-regulated ubiquitination and degradation of beta-catenin. *J Biol Chem* 272, 24735-24738.

Orford, K., Orford, C.C., and Byers, S.W. (1999). Exogenous expression of beta-catenin regulates contact inhibition, anchorage-independent growth, anoikis, and radiation-induced cell cycle arrest. *J Cell Biol* 146, 855-868.

Pishvaian, M.J., Feltes, C.M., Thompson, P., Bussemakers, M.J., Schalken, J.A., and Byers, S.W. (1999). Cadherin-11 is expressed in invasive breast cancer cell lines. *Cancer Res* 59, 947-952.

Poling, J.S., Karanian, J.W., Salem, N., Jr., and Vicini, S. (1995). Time- and voltage-dependent block of delayed rectifier potassium channels by docosahexaenoic acid. *Mol. Pharmacol.* 47, 381-390.

Powers, C., Aigner, A., Stoica, G.E., McDonnell, K., and Wellstein, A. (2002). Pleiotrophin signaling through anaplastic lymphoma kinase is rate-limiting for glioblastoma growth. *J Biol Chem* 277, 14153-14158.

Schapiro, F., Sparkowski, J., Adduci, A., Supryniewicz, F., Schlegel, R., and Grinstein, S. (2000). Golgi alkalization by the papillomavirus E5 oncoprotein. *J Cell Biol* 148, 305-315.

Stoppler, H., Stoppler, M.C., Adduci, A., Koval, D., and Schlegel, R. (1996). The serine protease inhibitors TLCK and TPCK react with the RB-binding core of HPV-18 E7 protein and abolish its RB-binding capability. *Virology* 217, 542-553.

Tassi, E., Al Attar, A., Aigner, A., Swift, M.R., McDonnell, K., Karavanov, A., and Wellstein, A. (2001). Enhancement of fibroblast growth factor (FGF) activity by an FGF-binding protein. *J Biol Chem* 276, 40247-40253.

Turkeltaub, P.E., Gareau, L., Flowers, D.L., Zeffiro, T.A., and Eden, G.F. (2003). Development of neural mechanisms for reading. *Nat. Neurosci.* 6, 767-773.

Yuan,H., Estes,P.A., Chen,Y., Newsome,J., Olcese,V.A., Garcea,R.L., and Schlegel,R. (2001). Immunization with a pentameric L1 fusion protein protects against papillomavirus infection. *J Virol.* 75, 7848-7853.